

DIE No	DESCRIPTION
UA 1085	DOOR FRAME
UA 1310	WOOLPILE DOOR STOP
UA 1374	SECURAMESH CHANNEL
UA 1375	SECURAMESH FIX FRAME
UA 1376	SECURAMESH FIX FRAME
UA 1377	DOOR FRAME
UA 1379	STAKE
UA 1387	MESH WINDOW FRAME
UA 1582	STAKE
UA 1609	ADJUSTER CHANNEL
UA 1647	JAMB EXTENSION
UA 1648	DOOR FRAME ADJUSTER
UA 1649	SEC JAMB FIX
UA 1738	DOOR FRAME
UA 1864	STAKE
UA 1942	SLIDING TRACK
UA 1943	SLIDING TRACK
UA 2506	WINDOW FRAME
UA 2985	JAMB EXTENSION
UA 2986	DOOR FRAME
UA 3592	MESH WINDOW FRAME
UA 3614	ADJUSTER CHANNEL
UA 3929	JOINTER
UA 4110	DOOR TRACK
UA 4111	TRACK FRAME
UA 4112	DOOR FRAME
AUS 4314	STAKE
UA 4598	SECURITY FRAME
UA 4599	SECURITY JOINTER
AUS 5563	STAKE
UA 5632	JAMB EXTENSION
UA 5655	DOOR FRAME
UA 5971	STAKE
AUS 6463	STAKE
AUS 6487	ADAPTOR
AUS 6516	DOOR FRAME
AUS 6517	WINDOW FRAME
AUS 6518	WINDOW FRAME
AUS 6519	MIDRAIL
AUS 6546	DOOR FRAME
AUS 6547	WINDOW FRAME
UA 6836	DOOR TRACK
UA 7007	SECURITY JOINTER
UA 7008	SECURITY FRAME
UA 7009	DOOR FRAME

DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED. DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.
OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY
 © ULLRICH ALUMINIUM CO LTD



UA 1085

DOOR FRAME
kg/m 0.618 P 195
OAD 54.5 x 19.5

UA 1374

SECURAMESH CHANNEL
kg/m 0.151 P 76
OAD 15 x 10

UA 1375

SECURAMESH FIX FRAME
kg/m 0.269 P 142
OAD 38 x 10

UA 1376

SECURAMESH FIX FRAME
kg/m 0.257 P 129
OAD 28 x 11

UA 1377

DOOR FRAME
kg/m 0.715 P 240
OAD 72 x 20

UA 1387

MESH WINDOW FRAME
kg/m 0.283 P 126
OAD 33.5 x 10.5

UA 1738

DOOR FRAME
kg/m 0.581 P 237
OAD 69.5 x 20

UA 2986

DOOR FRAME
kg/m 0.591 P 231
OAD 69.5 x 20

UA 3929

JOINTER
kg/m 0.301 P 182
OAD 40 x 10

UA 4112


DOOR FRAME
kg/m 0.681 P 233
OAD 74.1 x 20

UA 5655

DOOR FRAME
kg/m 0.763 P 230
OAD 71.6 x 19

AUS 6546

DOOR FRAME
kg/m 0.563 P 228
OAD 68.4 x 18.6

UA 1377**UA 1738****UA 5655****UA 2986****UA 4112****AUS 6546****UA 1085****UA 7009****UA 1374****UA 1376****UA 3929****UA 1375****UA 1387****UA 7009**

DOOR FRAME
kg/m 0.884 P 262
OAD 80.9 x 20




DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED. DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.
OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY

© ULLRICH ALUMINIUM CO LTD


UA 2985



UA 1647



UA 5632



UA 1310

WOOLPILE DOOR STOP
kg/m 0.147 P 75
OAD 18 x 13

UA 1609

ADJUSTER CHANNEL
kg/m 0.149 P 85
OAD 14.5 x 14.5

UA 1647

JAMB EXTENSION
kg/m 1.152 P 326
OAD 82 x 34

UA 1648

DOOR FRAME ADJUSTER
kg/m 0.466 P 216
OAD 43 x 23.5

UA 1649

SEC JAMB FIX
kg/m 0.399 P 197
OAD 42 x 33.5

UA 2506

WINDOW FRAME
kg/m 0.442 P 218
OAD 87.7 x 12.7

UA 2985

JAMB EXTENSION
kg/m 1.011 P 353
OAD 97 x 32

UA 3592

MESH WINDOW FRAME
kg/m 0.371 P 146
OAD 36.7 x 10.7


UA 3592



UA 2506



UA 1649



AUS 6547



UA 3614

ADJUSTER CHANNEL
kg/m 0.196 P 94
OAD 16.2 x 16.2

UA 4598

SECURITY FRAME
kg/m 0.393 P 119
OAD 35 x 10.5

UA 4598



UA 4599



UA 7008



UA 7007



AUS 6547

WINDOW FRAME
kg/m 0.287 P 136
OAD 34.8 x 10.4

UA 7007

SECURITY JOINTER
kg/m 0.473 P 213
OAD 47 x 10.8

UA 7008

SECURITY FRAME
kg/m 0.444 P 144
OAD 40.25 x 10.8

UA 4599

SECURITY JOINTER
kg/m 0.357 P 161
OAD 35 x 10.5

UA 5632

JAMB EXTENSION
kg/m 1.050 P 318
OAD 79 x 32

DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED. DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.
OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY



© ULLRICH ALUMINIUM CO LTD

UA 1379




STAKE (blue) fits 1387,1649

STAKE (red) fits 3592

STAKE (white) fits 4598

kg/m 2.227 P 270




OAD 50 x 50

**UA 4110****UA 4111****AUS 6487****UA 1582**

STAKE (mill) fits 1085

kg/m 1.478 P 390

OAD 54.8 x 54.8

**UA 1942****UA 6836****UA 1943****UA 1864**

STAKE (black) fits 1377, 1738, 2986, 4112

kg/m 3.536 P 527

OAD 104.5 x 77.5

UA 1942

SEC SLIDING TRACK

kg/m 0.773 P 298

OAD 41.5 x 41

UA 1943

SEC SLIDING TRACK

kg/m 0.467 P 212

OAD 32 x 31

UA 4110

DOOR TRACK

kg/m 0.349 P 155

OAD 25 x 22.5

UA 4111

TRACK FRAME

kg/m 0.537 P 265

OAD 33 x 32

UA 5971

STAKE (orange) fits 5655

kg/m 4.524 P 497

OAD 74.9 x 74.9

AUS 6463

STAKE fits 6546

kg/m 4.173 P 501

OAD 73 x 73

AUS 6487

ADAPTOR

kg/m 0.332 P 162


OAD 26.5 x 24.5

UA 6836

DOOR TRACK

kg/m 0.477 P 216

OAD 33 x 32

**UA 1379****UA 1864****UA 1582****UA 5971****AUS 6463**

DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED. DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.
OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY

© ULLRICH ALUMINIUM CO LTD

AUS 6516



AUS 6517



AUS 6518



AUS 6519



AUS 4314

STAKE 8mm (black) fits 6517
 STAKE 6mm (white) fits 6518
 kg/m 2.484 P 172
 OAD 44.4 x 44.4

AUS 5563

STAKE fits 6516
 kg/m 3.802 P 537
 OAD 74.9 x 74.9

AUS 6516

DOOR FRAME
 kg/m 0.709 P 217
 OAD 67.4 x 19.35

AUS 6517


11mm WINDOW FRAME
 kg/m 0.342 P 134
 OAD 35.25 x 10.8

AUS 6518

9mm WINDOW FRAME
 kg/m 0.309 P 133
 OAD 34.95 x 10.8

AUS 6519


MIDRAIL
 kg/m 0.350 P 186
 OAD 39.75 x 10.8



AUS 4314



AUS 5563





STAINLESS STEEL MESH
 GRADE 316, 0.8mm



PCI 11BK3
 CHANNEL - WEDGE

Note: To comply with AS5039/5041-2003 the door must be manufactured as shown.



DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED. DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.
OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY
 © ULLRICH ALUMINIUM CO LTD

